

Material Safety Data Sheet

Catalog Number: Solid/655#

Revision: V2

Section 1. Product Identification and Company Identification

Company Name: :

FIRST ONE AUSTRALIA PTY LTD

17 Chadderton Street,

Lansvale, 2166, NSW,

Australia

Contact phone: +61 2 9723 1747

Product: Name: TOILET BOWL CLEANER JAR /#655

SECTION 2 . COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-NO.	Percentage
Urea	57-13-6	50-60%
Surfactant	/	10-20%
Water	/	20-25%
Fragrance oil	/	2%

SECTION 3 .HAZARDOUS INGREDIENTS

Threshold Limit Value: NOT ESTABLISHED

Signs and Symptoms of Over Exposure: N/A

Acute: SKIN & EYES: IRRITATION

Chronic: MAY CAUSE GASTROINTESTINAL IRRITATION IF INGESTED

Medical Conditions Generally Aggravated by Exposure: PREEXISTING SKIN CONDITIONS,
ALLERGIES

SECTION 4 .FIRST AID MEASURES

- Product in Eyes : Keep the eyelids open while irrigating with cold clean running water, without strong water jet, for 15 minutes. Do not apply eye drops or similar. Get medical attention.
- Product on Skin : Remove the contaminated clothing promptly. Wash the affected area with soap and plenty of cold water.
- Product Ingested : drink enough warm salt water (2 tablespoons of salt/1 glass of water). Vomiting. Get medical attention.
- Product Inhaled : Remove to fresh air and to an area free of contamination. Keep at rest in the most comfortable position, with warm loose clothing. If necessary, apply artificial resuscitation. Minister oxygen. Obtain medical advice immediately.

SECTION 5 . FIRE FIGHTING MEATURES

FIRE AND EXPLOSION HAZARDS:

Negligible fire and explosive hazard. If heated by outside source to temperatures

EXTINGUISHING MEDIA:

Flood with water. Do not use dry chemicals, carbon dioxide or halogenated extinguishing agents.

FIRE FIGHTING:

Consider evacuation of personnel located downwind. Keep unnecessary people away, isolate hazard area and deny entry. Move container from fire area if it can be done without risk. Avoid inhalation of material or combustion byproducts.

Stay upwind and keep out of low areas. Wear NIOSH approved positive-pressure self-contained breathing apparatus. Material which appears undamaged except for being damp on the outside should be opened and inspected immediately. DO NOT attempt to reseal contaminated drums.

SECTION 6. ACCIDENTAL RELEASE MEATURES

- Personal precaution : in the case of irrespirable dust and/or fumes, use self-contained breathing apparatus and dust impervious protective suit
- Environment precaution : Do not flush into surface water or sanitary sewer system
- Method for containment : Sweep up or vacuum up spillage and collect in suitable container for disposal method for cleaning up

SECTION 7 . HANDLING AND STORAGE

STORAGE: Store and handle in accordance with all current regulations and standards. Do not

allow water to get in container. Keep container tightly closed and properly labeled.

Store containers on pallets. Keep away from food, drink and animal feed. Keep separated from incompatible substances.

HANDLING: Do not get in eyes, on skin, or on clothing. Avoid breathing vapors or dust when opening container. Avoid creation of dust. Wash thoroughly after handling. Always add product to large quantities of water. Use clean, dry utensils. Do not add the product to any dispensing device containing residuals of other products.

SECTION 8 . EXPOSURE CONTROLS AND PERSONAL PROTECTION

VENTILATION: Use only in well ventilated areas. Provide local exhaust ventilation where dust or mist may be generated. Ensure compliance with applicable exposure limits.

EYE PROTECTION: Wear chemical safety goggles. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

CLOTHING: Wear protective clothing to minimize skin contact. When potential for contact with dry material exists, wear disposable coveralls such as Tyvek(R). Contaminated clothing should be removed and laundered before reuse.

GLOVES: Wear suitable gloves.

SECTION 9 . PHYSICAL & CHEMICAL PROPERTIES

Appearance: Blue solid

Odor: characteristic odor

PH: 6-9 (25 °C, 1% solution).

Boiling Point: Unknown

Melting Point: 80°C/ 176°F /

Flash Point: NONE

Specific Gravity: 1.1-1.3

Vapor Pressure mm/Hg: Unknown

Percent Volatile by Vol: <9%

Vapor Density Air = 1 : <1

Flammable Limit : NONE

Solubility in Water: Soluble

Reactivity with Water: No

Auto-Ignite Temp: NONE

Evaporation Rate : >1 as compared to WATER = 1.0

SECTION 10 . STABILITY AND REACTION

Stability : Stable at normal temperatures and pressure.

Polymerization : None

Incompatible substances: NONE KNOWN

Hazardous decomposition products: NONE KNOWN

Incompatibility: Strong oxidizer, Strong acid.

SECTION 11 . TOXICOLOGICAL INFORMATION

Acute toxicity: LD50: 14300mg/KG

Moderately Toxic: ingestion

Slightly Toxic: dermal absorption

SECTION 12 . ECOLOGICAL INFORMATION

The material may have harm to the environment. Pay special attention to the contamination of water bodies

SECTION 13 . DISPOSAL CONSIDERATION

Waste Disposal Procedures: dispose of in accordance with federal, state, and local regulations

Maybe supplied to a biological sewage or combustion plant.

SECTION 14 . TRANSPORT INFORMATION

UN number: none

Hazard class or division: none

Transport attention items: During transport, ensure the container not leaked, not fell, not damaged, against the sun, rain and heat. It is forbidden to transport together with strong oxidizer, acid and food.

SECTION 15 . REGULATORY INFORMATION

CERCLA SECTIONS 102a/103 HAZARDOUS SUBSTANCES (40 CFR 302.4): Not regulated.

ACUTE: No

CHRONIC: No

FIRE: No

REACTIVE: No

SUDDEN RELEASE: No

SECTION 16 . OTHER INFORMATION

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product

End of Material Safety Data Sheet